

Sleek Model Magnetic Contact Sensor

Model **MS-1080**

Sleek Model Magnetic Contact Sensor

Overview

Applications:

- Ideal for **door and window security systems**.
- Commonly used in **alarm systems to detect door or window opening**.
- Suitable for **home, office, warehouse, and shop security installations**.
- Can be used with **access control systems and intrusion detection systems**.
- Works well for **monitoring cabinet doors, gates, and shutters**.
- Compatible with **low-voltage security panels, IoT monitoring devices, and automation systems**.
- Surface-mount design allows **easy installation on wooden, metal, or PVC frames**.

Technical Specifications

Color available	White & Brown
Contact Rating	100 VDC , 0.5A, 10W
Contact type	NO or NC
Hole Gape	40mm
Mounting	Surface mount type switch with mounting holes
Operating gape minimum	17mm (approx)
Plastic case material	ABS resin 1st grade
Size	50mm x 10mm x 10.5mm
Size of screw	33mm with head of 5mm
Temper loop	also available on request
Wire Size	15 inches long wire

Warranty & Support

Returnable

Get in Touch

Vuon

Web: <https://vuon.in>

Email: sales@vuon.in

Support: support@vuon.in

Brochure generated automatically from the Vuon catalog. Specifications, pricing, and availability are subject to change. For the latest information, please visit [the product page](#).